

Meet Our Table Mounts







TABLE STANDS <i>Transportable, height-adjustable and standing stable on even or uneven surfaces.</i> 	TS-XL 	TS-GO 	TS-DC 	TS-UC 	TS-FT 
FEATURES					
Method of Device Position Adjustment	QuickShift levers	Quickshift levers	QuickShift levers	Quickshift levers	Hinged for multiple angles Lockable hinge joint
Device Height	37-50cm	Up to 49cm	Up to 18cm	Up to 18cm	N/A
Load Capacity	7.5kg	7.5kg	2.5kg	2.5kg	N/A
Weight	1.25kg	1.2kg	0.6kg		0.345kg
Price	\$905.00	\$805.00	\$750.00	\$750.00	\$135
Other Notes	Ideal for eye gaze devices Levelling mechanism	Comes with carry bag Ideal for transitions between different sites	Ideal for touch devices Folds flat	Ideal for touch devices Folds flat SLS version	Width 25mm and 10mm Highly transportable
<p><i>All Rehadapt products are compliant with the ISO 14971:2019 Standard. Declarations of Conformity are in place for all products. Rehadapt is ISO certified (23 March 2021). ISO Norm: DIN EN ISO 13485. All mounts come with 2 years warranty.</i></p>					





TABLE CLAMPS M3D <i>Sturdy and adjustable options that save space on a desk/table surface.</i> 	ClampOnMount 	TC 	ClampOnMount Dual SC 
FEATURES			
Method of Device Position Adjustment	QuickShift levers	QuickShift levers	QuickShift levers
Device Height	79cm	31cm	75cm
Load Capacity	5.4kg	5kg	5.4kg
Weight	1.5kg	1.08kg	1.5kg
Price	\$895.00	\$750.00	\$1395.00
Other Notes	Two tube system for greater height and flexibility	Single tube system	Ideal for corner mounting
<p><i>All Rehadapt products are compliant with the ISO 14971:2019 Standard. Declarations of Conformity are in place for all products. Rehadapt is ISO certified (23 March 2021). ISO Norm: DIN EN ISO 13485. All mounts come with 2 years warranty.</i></p>			










TABLE CLAMPS Floating (OneHand) <i>Keeps devices "floating" for easy repositioning. Device can be moved 90° vertically and 360° horizontally.</i> 	TC-OH 	TC-OH-HD 	TC-OH Light 
FEATURES			
Method of Device Position Adjustment	One-hand floating mechanism	One-hand floating mechanism	One-hand floating mechanism
Device Height	50cm	50cm	50cm
Load Capacity	2-6kg	6-11kg	0.7-3kg
Weight	3.21kg	3.21kg	3.21kg
Price	\$1175.00	\$1290.00	\$1175.00
<p><i>All Rehadapt products are compliant with the ISO 14971:2019 Standard. Declarations of Conformity are in place for all products. Rehadapt is ISO certified (23 March 2021). ISO Norm: DIN EN ISO 13485. All mounts come with 2 years warranty.</i></p>			

TABLE CLAMPS L3D <i>Sturdy and adjustable options for smaller, lightweight devices.</i> 	TD L3D FM UDS/SLS 	TC L3D 1QS UDS/SLS 	TC L3D 2QS UDS/SLS 	TC L3D 3QS UDS/SLS 
FEATURES				
Method of Device Position Adjustment	Gooseneck QuickShift Lever	QuickShift Lever	QuickShift Levers	QuickShift Levers
Device Height	31cm	31cm	50cm	60cm
Load Capacity	1.2kg	1.2kg	1.2kg	1.2kg
Weight	1.05kg	0.95kg	1.15kg	1.47kg
Price	\$530.00	\$595.00	\$735.00	\$885.00
<p><i>All Rehadapt products are compliant with the ISO 14971:2019 Standard. Declarations of Conformity are in place for all products. Rehadapt is ISO certified (23 March 2021). ISO Norm: DIN EN ISO 13485. All mounts come with 2 years warranty.</i></p>				